



**NEOPRENE/LATEX    BLUE/YELLOW    REF: HP300    S-XXL    FLOCKLINED**

Chloroprene coated over natural Rubber, heavy weight industrial rubber glove. Specially blended rubber compound. Excellent grip in wet and oily environment. Available in orange.

### Characteristics:

<b>Contain latex protein. Not suitable for latex allergic people.</b>	<b>Raised diamond pattern for better sustained grip.</b>
<b>Resistance of neoprene and comfort of latex.</b>	<b>Resistance oil and facts.</b>
<b>Flock line. Interior for comfort.</b>	<b>Excellent grip.</b>
<b>Chloroprene coated over natural rubber.</b>	<b>Abrasion and resistance against certain chemicals.</b>

### Packaging:

- Carton 100 pairs.
- Individual bag.
- Packaging contains: 10 pack of 10 pcs.
- Dimension bag: 380 x 145 x 20 mm.



### Labelling:

Manufacturing date, expiration date, batch number, reference, and EAN code. Product name in several languages: Spanish, English, French, German, Italian, Portuguese, etc.

Ce marking, Protection Pictograms, Safety standars and legislation. Size and units, size guide.



Glove Dimensions	S	M	L	XL	XXL
<b>LENGTH</b>	Min 320 mm	Min 320 mm	Min 320 mm	Min 320 mm	Min 320 mm
<b>Palm Thickness mm (± 0.02)</b>	0.70	0.70	0.70	0.70	0.70

RUBBEREX SPAIN S.L

+34 96 166 7124

[info@rubberex.es](mailto:info@rubberex.es)

[www.rubberex.es](http://www.rubberex.es)

Polígono Industrial Masía del Baló. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. España

## Regulations:

Regulation (EU) 2016/425. Personal protective equipment repealing Council Directive 89/686/EEC.

EN ISO 21420:2020

EN 388:2016+A1:2018. Protection against mechanical hazards.

A: Abrasion resistance (performance level 0 to 4).

B: Resistance to cutting by blade (performance level 0 to 5).

C: Resistance to tearing (performance level 0 to 4).

D: Puncture resistance (performance level 0 to 4)

E: Resistance to sharp cut (level A to F) X means not tested.

## Chemical resistance:

### PERMEATION EN 16523-1:2015. CHEMICAL HAZARDS EN ISO 374-1:2016+A1:2018

Gloves are classified in terms of breakthrough time, according to each individual chemical for which the glove resists permeation.

The gloves are tested against the following chemicals:

CHEMICALS	LETTER	LEVEL
METHANOL	A	4
N-HEPTANE	J	1
SODIUM HYDROXIDE 40%	K	6
SULPHURIC ACID 96%	L	5
NITRIC ACID	M	6
ACETIC ACID 99%	N	4
HYDROGEN PEROXIDE 30%	P	6
FORMALDEHYDE 37%	T	6

  

Time (min)	> 10	> 30	> 60	> 120	> 240	> 480
Level	1	2	3	4	5	6

### DEGRADATION EN 374-4:2019

Degradation % (DR) is determined for each chemical made in the permeation.

(DR) A : Methanol = 8.6%

(DR) K : Sodium Hydroxide 40% = -9.7%

(DR) L : Sulphuric Acid 96% = 20.0%

(DR) N : Acetic Acid 99% = 20.2%

(DR) P : Hydrogen Peroxide 30% = 11.5%

(DR) T : Formaldehyde 37% = -5.2 %

RUBBEREX SPAIN S.L

# HP 300 HEVEAPRENE



EN 388: 2016+A1:2018



3111X

EN ISO 374-1:2016+A1:2018/Type A



AKLNPT



EN ISO 374-5:2016



VIRUS



CAT III



The HP300 PPE should be used to protect the user's hand against chemical risks (products mentioned above) and against microbiological risks (bacteria and fungi).

The present PPE should be used against other risks than those described above. The use of this PPE should be evaluated correctly depending on the place of work.

The performance levels stated for the gloves are based on tests carried out on the palm area of the glove. Before putting on gloves, make sure they are free of defects, punctures or tears. Discard the glove if it is punctured or torn during work.

REFERENCE	COLOUR	SIZE NUMBER	SIZE	EAN
0254	YELLOW / BLUE	7	SMALL	9556073206715
0255	YELLOW / BLUE	8	MEDIUM	9556073206722
0256	YELLOW / BLUE	9	LARGE	9556073206739
0257	YELLOW / BLUE	10	X-LARGE	9556073206746
0258	YELLOW / BLUE	11	XX-LARGE	9556073206753

## Packing:



## Logistic:

Carton: 100 pairs

Pack: 10 pairs

Pallet: 40 cartons

REV.03 JUL 2023

RUBBEREX SPAIN S.L

+34 96 166 7124

[info@rubberex.es](mailto:info@rubberex.es)

[www.rubberex.es](http://www.rubberex.es)

Polígono Industrial Masía del Baló. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. España