NITRILE GENTLE TOUCH BLUE

NITRILE	BLUE	POWDER FREE	XS-XXL	AMBIDEXTROUS	NON-STERILE

Comfortable glove. It offers protection against specific chemical risks and solvents in sporadic contact. Its uses include food, laboratory, hygiene and cleaning, DIY, etc.

Features:

Protects against allergies to type I latex. Minimizes Type IV allergies.	**Textured at its tips, making it easier to grip.**
BLUE, dust-free, single-use, ambidextrous	**Tested for use with chemotherapy drugs.**
Cuff with flange, spill protection.	**Flexibility and Adaptability**

Presentation:

- Dispenser box of 100 units, with die-cut opening for hygienic access to the glove.
- Packaging contains: 10 boxes of 100 units



Labelling: Expiry date, date of manufacture, batch number, Reference, barcode. Product name in several languages: Spanish, English, French, German, Portuguese, Italian.

CE marking, Protection pictograms, Safety standards and legislation. Size and units, size guide.

REF	Color	Size	T. numerical	EAN 13 DISPENSER	EAN 14 MASTER BOX
0138	BLUE	XS	6	8435234501382	18435234501389
0125	BLUE	S	7	8435234501252	18435234501259
0126	BLUE	M	8	8435234501269	18435234501266
0127	BLUE	L	9	8435234501276	18435234501273
0128	BLUE	XL	10	8435234501283	18435234501280
0129	BLUE	XXL	11	8435234501290	18435234501297

Regulations:

- Category III. CE mark according to Regulation (EU) 2016/425

RUBBEREX SPAIN S.L

☎+34 96 166 7124 ✉ info@rubberex.es www.rubberex.es

Masía del Baló Industrial Estate. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. Spain

- Food Regulation 10/2011 on plastic materials intended to come into contact with food. **Regulation (EC) No 2023/2006**. Good Manufacturing Practices for Materials and Articles Intended for Contact with Food and Regulation **(EU) 2025/351. Regulation (EC) No 1935/2004**: Material and Articles in Contact with Food. . Regulation **(EU) 2024/3190** of 19 December 2024, repealing R EU 2018/213. GAP.
- ASTM F1671 and ASTM F1670. Resistance to penetration of blood and bacteriophage virus.
- ISO 16604:2004. Bacteriophage.
- ASTM D6978, Chemotherapy Drug Resistance.

- EN ISO 374-1:2016. Point 7 EN 374-2. Point 5 of the EN374-4 standard. Method UNE-EN 16523-1:2015
- EN ISO 374-5:2016. Requirements for microorganism risks.
  EN ISO 21420:2020
- EN420:2003+A1:2009
- EN455-1-2-3-4
- This product is not classified as hazardous according to Regulation EC 1272/2009 of the European Parliament and of the Council.
- This product contains less than 0.1% substances of very high concern (SVHC) and does not contain substances included in Annex VII of Regulation 1907/2006 of the European Parliament and of the Council.

PERMEATION. EN ISO 374-1:2016/A1:2018

Gloves are classified in terms of passage time, depending on each individual chemical for which the glove resists permeation.
The gloves are tested against the following chemicals:

CHEMICALS	LEVEL	LETTER
N-HEPTANE	6	J
SODIUM HYDROXIDE 40%	6	K
HYDROGEN PEROXIDE 30%	3	P

Performance levels:

Passage time (min)	> 10	> 30	> 60	> 120	> 240	> 480
Performance level	1	2	3	4	5	6

DEGRADATION

The % degradation (DR) is determined for each chemical made in the permeation.

NITRILE GENTLE TOUCH BLUE

(DR) J: n-Heptane = 59.93%

(DR) K: Sodium Hydroxide 40% = -43.05%

(DR) P: Hydrogen Peroxide 30% = 32.89%

The PPE type GENTLE TOUCH NITRILE GLOVE should be used to protect the wearer's hand against chemical hazards (products and levels mentioned above) and against microbiological hazards (bacteria, fungi and viruses). This PPE should never be used against hazards other than those described above. The use of this PPE should be evaluated correctly depending on the workplace.

EN ISO 374-1:2016 / Type B **EN ISO 374-5:2016**



J K P **VIRUS** **CAT III**

Glove Dimensions	XS	S	M	L	XL	XXL
PALM WIDTH	75 ± 5 mm	85 ± 5 mm	95 ± 5 mm	110 ± 5 mm	110 ± 5 mm	117± 5 mm
LENGTH	Min 230 mm	Min 240 mm	Min 240 mm	Min 240 mm	Min 240 mm	Min 240 mm
Palm thickness mm (± 0.02)	0.07	0.07	0.07	0.07	0.07	0.07
Finger thickness mm (± 0.02)	0.11	0.11	0.11	0.11	0.11	0.11
Cuff thickness mm (± 0.02)	0.06	0.06	0.06	0.06	0.06	0.06
Weight gr. (± 0.3)	2.9	3.2	3.5	3.7	3.9	4.2







Logistics: Pallet: 88 boxes

Dispenser: 100 gloves

Dispenser dimension: 210 x 120 x 60 mm.

Box: 10 dispensers per box Box: 220 x 310 x 250 mm

Rev 09. 2026

Rev 006 SEPT 2026

RUBBEREX SPAIN S.L

☎+34 96 166 7124 ✉ info@rubberex.es www.rubberex.es

Masía del Baló Industrial Estate. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. Spain