NITRILE GENTLE TOUCH LONG CUFF

NITRILE	BLUE	Powder free	S-XL	AMBIDEXTROUS	NON-STERILE

Comfortable glove with **a special length**. It offers protection against specific chemical hazards and solvents in sporadic contact. Its uses include examination and examination, food, laboratory, hygiene and cleaning, dentistry, DIY, food, etc.

Features:

It does not contain latex protein, suitable for latex allergy sufferers.	**Textured at its tips, making it easier to grip.**
Blue powder-free, single-use, ambidextrous.	**High strength and durability.**
Cuff with special length flange, protection against spills.	**Special length to protect the forearm**

Presentation:

- Dispenser box of 100 units, with petrochelated opening for hygienic access to the glove.
- Packaging contains: 10 boxes of 100 units
- Dimension: 250 x 130 x 75 mm



Labelling: Expiry date, date of manufacture, batch number, reference, barcode. Product name in several languages: Spanish, English, French, German, Portuguese, Italian.

CE marking, protective pictograms, safety standards and legislation. Size and units, size guide.

REF	Color	Size	T. numerical	EAN13	EAN14
0500	Blue	S	6-7	8435234505007	18435234505004
0501	Blue	M	7-8	8435234505014	18435234505017
0502	Blue	L	8-9	8435234505021	18435234505028
0499	Blue	XL	9-10	8435234504994	18435234504991

RUBBEREX SPAIN S.L


☎+34 96 166 7124 ✉ info@rubberex.es www.rubberex.es

Masía del Baló Industrial Estate. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. Spain

NITRILE GENTLE TOUCH LONG CUFF

Regulations:

- Category III. CE mark according to Regulation (EU) 2016/425
- Food Regulation 10/2011 on plastic materials intended to come into contact with food. **Regulation (EC) No 2023/2006**. Good Manufacturing Practices for Materials and Articles Intended for Contact with Food and Regulation **(EU) 2025/351. Regulation (EC) No 1935/2004**: Material and Articles in Contact with Food. . Regulation **(EU) 2024/3190** of 19 December 2024, repealing R EU 2018/213. GAP.
- EN ISO 21420:2020
- EN 420:2003+A1:2009. EN ISO 21420:2020
- EN ISO 374-1:2016 + EN ISO 374-1:2016/A1:2018
- EN ISO 374-5:2016. (EN 374-4). ISO 16604:2004 Bacteriophage
- This product is not classified as hazardous according to Regulation EC 1272/2009 of the European Parliament and of the Council.
- This product contains less than 0.1% substances of very high concern (SVHC) and does not contain substances included in Annex VII of Regulation 1907/2006 of the European Parliament and of the Council.



CHEMICAL RESISTANCE EN ISO 374-1:2016 + EN ISO 374-1:2016/A1:2018

PERMEATION. EN 16523-1:2015+A1:2018

Gloves are classified in terms of passage time, depending on each individual chemical for which the glove resists permeation.
The gloves are tested against the following chemicals:

CHEMICALS	LEVEL	LETTER
N-HEPTANE	6	J
SODIUM HYDROXIDE 40%	6	K
FORMALDEHYDE 37%	6	T

Performance levels:

NITRILE GENTLE TOUCH LONG CUFF

Passage time (min)	> 10	> 30	> 60	> 120	> 240	> 480
Performance level	1	2	3	4	5	6

DEGRADATION. EN 374-4:2019

The % degradation (DR) is determined for each chemical made in the permeation.

(DR) J: N-Heptane = 1.4%

(DR) K: Sodium hydroxide 40% = 24.0%

(DR) T: Formaldehyde 37% = 10.9%

The PPE type GENTLE TOUCH LONG CUFF type NITRILE GLOVE should be used to protect the wearer's hand against chemical hazards (products and levels mentioned above) and against microbiological hazards (bacteria, fungi and viruses).

This PPE should never be used for hazards other than those described above. The use of this PPE should be evaluated correctly depending on the workplace

Glove Dimensions	S	M	L	XL
PALM WIDTH	85 ± 5 mm	95 ± 5 mm	110 ± 5 mm	110 ± 5 mm
LENGTH	Min 290 mm	Min 290 mm	Min 290 mm	Min 290 mm
Palm thickness mm (± 0.02)	0.12	0.12	0.12	0.12
Finger thickness mm (± 0.02)	0.13	0.13	0.13	0.13
Cuff thickness mm (± 0.02)	0.10	0.10	0.10	0.10
Weight gr. (± 0.3)	6.7	7.0	7.5	8.0

Dispenser and box





Logistics:
Dispenser: 100 gloves
Box: 10 dispensers per box
Dispenser: 250 x 130 x 75 mm
Case: 390 x 275 x 265 mm
Pallet: 49 boxes

Rev002 2026

RUBBEREX SPAIN S.L

☎+34 96 166 7124 ✉ info@rubberex.es www.rubberex.es

Masía del Baló Industrial Estate. C/Mas Vallesa de Mandor N8 Nave12. CP. 46190. Ribarroja del Turia. Valencia. Spain